

# INDEX MAPS.

**T. 5 N. R. 10 E. 2<sup>nd</sup> Mer.**

	<del>464</del> 460	<del>464</del> 460	<del>464</del> 460	<del>464</del> 460	<del>465</del> 461	<del>465</del> 461						
469	6	492	5	486	4	481	3	478	2	476	1	463
	<del>491</del>	<del>491</del>	<del>485</del>	<del>481</del>	<del>477</del>	<del>475</del>						
468	7	490	8	485	9	481	10	477	11	475	12	463
	<del>490</del>	<del>490</del>	<del>484</del>	<del>480</del>	<del>476</del>	<del>474</del>						
468	18	489	17	484	16	480	15	476	14	474	13	462
	<del>489</del>	<del>489</del>	<del>484</del>	<del>480</del>	<del>474</del>	<del>473</del>						
467	19	488	20	483	21	479	22	473	23	472	24	462
	<del>488</del>	<del>487</del>	<del>483</del>	<del>479</del>	<del>472</del>	<del>470</del>						
467	30	487	29	483	28	479	27	472	26	470	25	461
	<del>487</del>	<del>486</del>	<del>482</del>	<del>478</del>	<del>471</del>	<del>470</del>						
467	31	486	32	482	33	478	34	471	35	469	36	461
	<del>488</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 460	<del>487</del> 461	<del>487</del> 461	
	<b>T.</b>		<b>R.</b>							<b>Mer.</b>		

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

(P The figures on the lines refer to the page.

Township N. 5 North, Range N. 10 East, 2<sup>d</sup> Mer. Ind.<sup>a</sup> 459  
ch. 2<sup>th</sup>

South Boundary. Rand<sup>m</sup> line

West On S. boundary of Sec. 36, T. 5 N. R. 10 E  
3.50 a Brook 3 lks. wide Cr. S.  
28.00 a Do. 3 " " " S.  
39.00 a Do. 10 " " " S. E.  
40.00 Set Temp. gr. Sec. post.  
55.00 a good Spring on S. side of the line running S. E.  
80.00 Set Temp. cor. to Sects 35 & 36.  
Good land well watered & well timbered with  
Oak, Poplar, Ash, &c. Sept. 8<sup>th</sup>, 1806.

---

West On S. boundary of Sec. 35, T. 5 N. R. 10 E.  
40.00 Set Temp. gr. Sec. post.  
70.00 a Brook, 3 lks. wide, Course, N. W.  
80.00 Set Temp. cor. to Sects 34 & 35.  
Flat land, Timber, Oak, Beech, &c.

---

West On S. boundary of Sec. 34, T. 5 N. R. 10 E.  
4.00 a Brook, 3 lks. wide, Course, N.  
40.00 Set Temp. gr. Sec. post.  
80.00 Set Temp. cor. to Sects 33 & 34.  
Level land, Timber, Beech, Oak, Poplar, &c.

---

West On S. boundary of Sec. 33, T. 5 N. R. 10 E.  
18.00 a Brook, 10 lks. wide, Cr. S.  
40.00 Set Temp. gr. Sec. post.  
80.00 Set Temp. cor. to Sects 32 & 33.  
Flat land, Beech, Oak, Gum, &c.

---

West On S. boundary of Sec. 32, T. 5 N. R. 10 E.  
40.00 Set Temp. gr. Sec. post.  
52.00 a Brook, 10 lks. wide, Course S.  
80.00 Set Temp. cor. to Sects 31 & 32.  
Land, Timber, &c. same as on the last mile

\*

True Line, var. 55° 50' E.

T. 5 N. R. 10 E. 2<sup>d</sup> Mer. IndianaCh. 1<sup>st</sup> 1<sup>st</sup>

East On S. boundary of Sec. 31, T. 5 N. R. 10 E.

40.12 Set gr. Sec. post. from which  
 a Beech, 24 in. diar. bears N. 51. W. 27 lks. dist. &  
 a Do. 24 " " " S. 42, E. 28 " "

80.25 Set post Cor. to Sect. 31 of 32, from which  
 a Beech, 20 in. diar. bears N. 23 W. 9 lks. dist. &  
 a Do. 16 " " " S. 8, E. 11 " "

East On S. boundary of Sec. 32, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which  
 a Beech, 14 in. diar. bears N. 30, E. 32 lks. dist. &  
 a Gum, 24 " " " S. 72 W. 36 " "

80.00 Set post Cor. to Sect. 32 & 33, from which  
 a Gum 18 in. diar. bears S. 12, E. 4 lks. dist. &  
 a Do. 15 " " " N. 42, W. 16 " "

East On S. boundary of Sec. 33, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which  
 a Beech, 20 in. diar. bears S. 50, E. 24 lks. dist. &  
 a Poplar 36 " " " N. 26, W. 39 " "

80.00 Set post Cor. to Sect. 33 of 34, from which  
 a Poplar 30 in. diar. bears N. 65, W. 22 lks. dist. &  
 a Beech, 9 " " " S. 22, E. 25 " "

East On S. boundary of Sec. 34, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which  
 a Hickory 14 in. diar. bears N. 6 E. 15 lks. dist. &  
 an Elm 12 " " " S. 57, W. 19 " "

80.00 Set post Cor. to Sect. 34 & 35, from which  
 a W. Oak, 36 in. diar. bears East 5 lks. dist. &  
 a Beech, 12 " " " N. 26, E. 27 " "

East On S. boundary of Sec. 35, T. 5 N. R. 10 E.

40.00 Set gr. Sec. post. from which  
 a Beech, 8 in. diar. bears S. 8 E. 6 lks. dist. &  
 a W. Oak, 16 " " " N. 9 E. 17 " "

461

S5 N R10 E. 2<sup>d</sup> Mer. Indiana

ch. lth

80.00 Set post Cor. to Sec. 35 & 36, from which  
a W. Oak 50 in. dia. bears South 3 lth. dist. &  
a No. 12 " " " N 27 W 23 " "

East On S. boundary of Sec. 36 S5 N. R10 E.

40.00 Set q. Sec. post, from which  
a Sugar 6 in. dia. bears N 19 E 4 lth. dist. &  
a No. 12 " " " S 25 W 23 " "

80.00 To the Cor. of Townships 4 & 5 North, of  
Range 10 & 11 East.

East Boundary var. 5° 25' E.

North On E. boundary of Sec. 36

24.00 a W. Oak 36 in. dia.

40.00 Set q. Sec. post, from which  
a Syc 16 in. dia. bears N 40 E 7 lth. dist. &  
a Sugar 14 " " " S 52 E 5 " "

43.00 a Brook 6 lth. wide Course N. E.

55.25 a No. 8 " " " N. E.

57.40 an Ash 18 in. dia.

66.51 a Hickory 20 " "

77.65 a Brook 10 lth. wide Course N. E.

80.00 Set post Cor. to Sec. 25 & 36, from which  
a Beech 20 in. dia. bears N 13 E 8 lth. dist. &  
a No. 12 " " " S 26 E 18 " "  
Land hilly, timber Oak, Beech, Hickory  
Ash, Syc &c

North On E. boundary of Sec. 25

7.25 a Sycamore 36 in. dia.

9.00 a Brook 30 lth. wide C. S. E. below the line,  
but line runs up it 5.50 lth. from NW.

23.20 a Brook 15 lth. wide Course S. W.

23.86 a W. Oak 24 in. diam.

40.00 Set q. Sec. post, from which  
an Ash 6 in. diam. bears S 89 E 34 lth. dist. &



462 S. N. N. W. E. 2<sup>nd</sup>. Mer. Indiana

ch. lks.

a Sugar 16 mi. dist. by S 86° N 22 W. dist.

50.50 a Brook 6 lks. wide C. S. E.

61.31 a Beech 12 mi. dist.

71.46 an Ash 40 " "

80.00 Set post Cor. to Sec. 24 & 25, from which

an Elm 11 mi. dist. by S 11 E 10 lks. dist. of

a Beech 10 " " " N 68° W 28 " "

Land hilly, rich, timber, Sugar, Beech, Oak  
Hickory, Ash &c. Oct. 29<sup>th</sup>. 1876

---

North On E. boundary of Sec. 24

22.92 a Sugar 26 mi. dist.

40.00 Set of Sec. post, from which

an Elm 13 mi. dist. by S 65° E. 24 lks. dist. of

a Lym 13 " " " S 74° W 4 " "

46.70 a Beech 32 " "

60.33 a Brook 8 lks. wide Course N.

78.30 a do. 20 " " " S. W.

80.00 Set post Cor. to Sec. 13 & 24, from which

a Buckeye 14 mi. dist. by S 47° W - lks. dist. of

a Sugar 5 " " " S 22° E - " "

First 75 chains rich level land, the last 5 chains  
hilly, timber Sugar, Beech, Oak, Hickory, Ash &c.  
under 1<sup>st</sup>. Spruce.

---

North On E. boundary of Sec. 13

9.75 a Brook 10 lks. wide Course S. W.

16.50 a Hickory 20 mi. dist.

23.98 a Brook 4 lks. wide Course N. E.

40.00 Set of Sec. post, from which

a Beech 9 mi. dist. by S 16° E 13 lks. dist. of

a do. 15 " " " S 27° W 23 " "

41.54 a P. Gum 30 " "

43.27 a do. 30 " "

67.55 a Beech 16 mi. dist.

80.00 Set post Cor. to Sec. 12 & 13, from which

5 N 10 E. 2<sup>d</sup>. Mer. Indiana 46<sup>3</sup>  
 ch. lhy

at Beech 8 mi. chat. bray N 17 1/2 W 8 lhy. dist. of  
 a Hickory 6 " " " S 12 E 20 "  
 first 1/2 mile hilly land, last 1/2 level 2<sup>d</sup> rate  
 timber Beech, Sugar, Oak, Poplar &c.  
 underg<sup>d</sup>. Spruce.

North On E. boundary of Sec. 12

8.50 at Beech 4 1/2 mi. chat.  
 10.60 a Brook 8 lhy. wide Course N. W.  
 12.62 a Do. 6 " " " S. W.  
 32.00 a Do. 12 " " " West  
 34.59 a Beech 10 mi. chat.  
 40.00 at q<sup>r</sup>. Sec. post, from which  
 a Beech 8 mi. chat. bray N 3 1/2 W 13 lhy. dist. of  
 a Do. 14 " " " S 3 1/2 W 26 "  
 47.04 a Beech 20 " "  
 58.51 a Do 18 mi. chat.  
 69.80 a Brook 6 lhy. wide Course S. W.  
 75.06 a Beech 24 mi. chat.  
 80.00 at post Co. to Sec. 1 of 12, from which  
 a Beech 6 mi. chat. bray N 30 1/2 W 21 lhy. dist. of  
 a Do. 5 " " " S 22 W 15 "  
 Good level timber Beech, Sugar, Poplar &c.  
 underg<sup>d</sup>. Spruce &c.

North On E. boundary of Sec. 1

5.04 a Brook 7 lhy. wide Course W.  
 11.15 a Beech 16 mi. chat.  
 17.78 a Do. 16 " "  
 23.50 a Brook line runs down it to North  
 26.00 a Do. 15 lhy. wide Course N. W.  
 38.85 a Do. 5 " " " W.  
 40.00 at q<sup>r</sup>. Sec. post, from which  
 a Beech 7 mi. chat. bray S 9 1/2 W 22 lhy. dist. of  
 a Do. 9 " " " N 20 E 31 "  
 51.95 a Poplar 48 " "

464 T5 N - R10 E. 2<sup>d</sup>. Mer. Indiana

ch. lky

52.87 a Brook 12 lky. wide Course N.

56.64 a Poplar 48 in. diam.

80.00 Set post Cor. to Township 5 of 6 North, Range 10 of 11 East, from which

an Elm 10 in. diam. bears S 7 E 16 lky. dist. of

a Beech 13 " " " N 7 E 20 " "

Land broken & poor, timber Beech, Sugar, Oak &c. undag<sup>d</sup>. Same.

North Boundary. Random line  
East On S. boundary of Sec. 31, T6 N. R10 E.

40.00 Set temp<sup>y</sup>. of Sec. post

59.42 a Brook 25 lky. wide Course S. N.

80.00 Set temp<sup>y</sup>. Cor. to Secs. 31 & 32

Land level, timber Beech, Sugar, ash, Poplar &c.

East On S. boundary of Sec. 32, T6 N. R10 E.

40.00 Set temp<sup>y</sup>. of Sec. post

43.50 a Brook 10 lky. wide Course S. N.

45.50 bend of brook 6 lky. wide from S. E.

64.20 the same brook, line runs up it, crossing it several times

71.50 leave the brook from S. E.

80.00 Set temp<sup>y</sup>. Cor. to Secs. 32 & 33

Land timber &c. Same as on last mile

East On S. boundary of Sec. 33, T6 N. R10 E

40.00 Set temp<sup>y</sup>. of Sec. post

61.10 a Brook 8 lky. wide Course S. N.

80.00 Set temp<sup>y</sup>. Corner to Secs. 33 & 34

Land timber &c. Same as on last mile

East On S. boundary of Sec. 34, T6 N. R10 E

32.20 a Brook 5 lky. wide Course S. E.

40.00 Set of Sec. post temporarily

49.75 a Brook 20 lky. wide Course South



S. N. R. 10 E. 2<sup>d</sup>. Mer. Indiana 465

ch 1<sup>st</sup> 1/2

80.00 Let temp<sup>y</sup>. Cor. to Sec. 34 & 35.  
Land Broken, with points of hills, timber Beech  
Ash, Sugar, Poplar, &c.

East On S. boundary of Sec. 35, T. 6 N. R. 10 E.

4.20 a Brook 4<sup>th</sup>. wide Comes S.

28.60 a do. 8 " " " S. E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

49.00 a Creek 4<sup>th</sup>. wide runs S 80° W, Comes up it  
North. I take this to be a branch of W. River

68.90 a Brook 8<sup>th</sup>. wide Comes N.

75.34 a do. 6 " " " N. W.

80.00 Let temp<sup>y</sup>. Corner, to Sec. 35 & 36

Land nearly level timber Beech, oak, Sugar  
Poplar &c.

East On S. boundary of Sec. 36, T. 6 N. R. 10 E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

67.00 a Brook 30<sup>th</sup>. wide C. S. W a branch of

Indian Kentucky

80.60 Hill 278<sup>th</sup>. S. of post Cor. to Township

5 & 6 North, Range 10 & 11 East

Land Generally level rich, timber Beech  
ash, Poplar, Oak &c.

True Line.

West On S. boundary of Sec. 36, T. 6 N. R. 10 E.

40.00 Let q<sup>r</sup>. Sec. post, from which

a Beech 12 m. dist. branch N 6 E 12<sup>th</sup>. dist. of

a Sugar 24 " " " 25 & 20 "

80.00 Let post Cor. to Sec. 35 & 36, from which

a Sugar 24 m. dist. branch N 50 W 27<sup>th</sup>. dist. of

a Poplar 54 " " " East 23 " "

West On S. boundary of Sec. 35, T. 6 N. R. 10 E.

40.00 Let q<sup>r</sup>. Sec. post, from which



T5 N. R10 E. 2<sup>d</sup>. Mer. Indiana

ch. lly

a Poplar 60 m. dist. from S1 E14 lly. dist. of  
 a do. 42 " " " N39 W34 " "  
 80.00 Set post Cor. to Sec. 34 of 35, from which  
 a Beech 24 m. dist. from N53 W27 lly. dist. of  
 a do. 9 " " " S74 E42 " "  
 November 3<sup>rd</sup> 1806.

Met On S. boundary of Sec. 34, T6 N. R10 E.

40.00 Set of Sec. post, from which  
 a Poplar 56 m. dist. from N37 W18 lly. dist. of  
 a Beech 8 " " " S39 E35 " "  
 80.00 Set post Cor. to Sec. 33 of 34, from which  
 a Beech 15 m. dist. from N6 W16 lly. dist. of  
 a S. Gum 30 " " " S54 W28 " "

Met On S. boundary of Sec. 33, T6 N. R10 E.

40.00 Set of Sec. post, from which  
 a Maple 9 m. dist. from N54 W20 lly. dist. of  
 a W. Oak 24 " " " S26 E11 " "  
 80.00 Set post Cor. to Sec. 32 of 33, from which  
 a Sugar 18 m. dist. from N51 W24 lly. dist. of  
 a Beech 8 " " " S81 E9 " "

Met On S. boundary of Sec. 32, T6 N. R10 E.

40.00 Set of Sec. post, from which  
 a Beech 36 m. dist. from N42 W9 lly. dist. of  
 a do. 16 " " " S52 E28 " "  
 43.40 a W. Oak 15 " " " "  
 80.00 Set post Cor. to Sec. 31 of 32, from which  
 a Beech 16 m. dist. from N12 W21 lly. dist. of  
 a do. 8 " " " S68 E16 " "

Met On S. boundary of Sec. 31, T6 N. R10 E.

40.00 Set of Sec. post, from which  
 a Beech 16 m. dist. from N68 W21 lly. dist. of  
 a do. 7 " " " S27 E8 " "

467

*S. N. R. 10 E. 2<sup>nd</sup> Mer. Indiana*  
*ch<sup>th</sup>*  
 80.60 Intersected Township Corner  
 November 4<sup>th</sup>. 1806.

---

var. 5° 30' E.

*West Boundary.*  
*North On E. boundary of Sec. 36, S. N. R. 9 E.*  
 16.08 at Brook 12<sup>th</sup>. wide Corner S. N.  
 32.50 a Hickory 20 m. dist.  
 40.00 at q. Sec. post, from which  
     a Beech 6 m. dist. by N 50 E 4<sup>th</sup>. dist.  
     a Do. 6 " " " S 58 W 11 " "  
 51.93 at S. Gum 24 " "  
 57.70 at Beech 26 " "  
 80.00 at post Cor. to Sec. 25 & 36, from which  
     a Beech 6 m. dist. by N 66 E 16<sup>th</sup>. dist.  
     a Do. 5 " " " S 89 W 13 " "  
 Land flat, timber Beech, Oak, Gum &c.

---

*North On E. boundary of Sec. 25, S. N. R. 9 E.*  
 15.00 at Brook 15<sup>th</sup>. (wide Cr. S. N.)  
 23.45 a Beech 12 m. dist.  
 33.30 a Brook 5<sup>th</sup>. wide Corner N.  
 40.00 at q. Sec. post, from which  
     a S. Gum 14 m. dist. by N 58 E 25<sup>th</sup>. dist.  
     a Beech 2 " " " S 81 W 12 " "  
 42.17 a Hickory 12 " "  
 53.68 a Do. 24 " "  
 63.30 a Brook 4<sup>th</sup>. wide Corner N.  
 78.17 a Beech 15 m. dist.  
 80.00 at post Cor. to Sec. 24 & 25, from which  
     an Ash 13 m. dist. by N 21 W 11<sup>th</sup>. dist.  
     a Beech 16 " " " S 85 E 26 " "  
 Land level, timber Oak, Beech, Ash, Hickory &c.

---

*North On E. boundary of Sec. 24, S. N. R. 9 E.*  
 17.43 a Beech 12 m. dist.  
 21.85 at Brook 5<sup>th</sup>. wide Corner N.

# *T5 N R10 E, 2<sup>d</sup> Mer. Indiana*

ch. 6<sup>th</sup>

- 27.54 a Poplar 36 mi. dist.  
 40.00 Set gr. Sec. post, from which  
     a Beech 16 mi. dist. by N 7° W 14 mi. dist. of  
     a do. 11 " " " N 51° E 12 " "  
 42.70 an Ash 24 " "  
 44.50 a Brook 20<sup>th</sup> wide Course S. 10° W.  
 64.10 a Beech 14 mi. dist.  
 80.00 Set post cor. to Sec. 13 of 24 from which  
     a Gum 8 mi. dist. by N 10° W 10 mi. dist. of  
     a W. Oak 6 " " " S 7° W 19 " "  
     Land timber &c. Same as on last mile

## *North On E. boundary of Sec. 13, T5 N, R10 E.*

- 4.45 a W. Oak 22 mi. dist.  
 18.04 a Brook 4<sup>th</sup> wide Course S. W.  
 19.85 a W. Oak 18 mi. dist.  
 40.00 Set gr. Sec. post, from which  
     a Beech 22 mi. dist. by N 75° E 21 mi. dist. of  
     a do. 12 " " " S 58° W 8 " "  
 51.74 a Beech 30 " "  
 73.58 a B. Gum 24 " "  
 80.00 Set post Cor. to Sec. 12 of 13, from which  
     a Beech 12 mi. dist. by N 10° E 15 mi. dist. of  
     a do. 13 " " " S 23° E 14 " "  
     Land flat. timber Beech, Oak, Poplar &c.

## *North On E. boundary of Sec. 12, T5 N, R9 E*

- 4.61 a Beech 15 mi. dist.  
 12.72 a W. Oak 44 " "  
 26.70 a Beech 22 " "  
 40.00 Set gr. Sec. post, from which  
     a Beech 18 mi. dist. by N 28° W 25 mi. dist. of  
     a do. 9 " " " S 85° E 23 " "  
 40.70 a Creek 40<sup>th</sup> wide Course W. a quarry of Stone  
     [describing marble]  
 46.66 a Beech 22 mi. dist.  
 47.79 a do. 24 " "



# T5 N R10 E. 2. Mer. Indiana 469

ch. 1/4

63.52 a Beech 20 m. dist.

75.60 a Brook 4 lks. wide Course W.

80.00 At post Cor. to Sec. 1 & 12, from which  
a Beech 22 m. dist. bearing N 79 E 22 lks. dist. of

a do. 19 " " " S 69 W 21 "

Land level, timber Beech, Oak, Poplar Hickory  
Oak &c. November 2<sup>d</sup>. 1806

North On E. boundary of Sec. 1, T5 N. R9 E.

4.00 a Brook 30 lks. wide Course S. W.

16.15 a do. 3 " " " S. E.

16.77 a Beech 20 m. dist.

22.72 an Ash 14 " "

31.68 a W. Oak 24 " "

40.00 At q. Sec. post, from which

a Beech 20 m. dist. bearing N 83 W 10 lks. dist. of

a do. 18 " " " S 57 E 9 " "

80.00 At post Cor. to Township 5 & 6 North,

Range 9 & 10 East, from which

a Hickory 10 m. dist. bearing N 49 W 14 lks. dist. of

a Beech 20 " " " S 62 E 24 " "

Land generally flat, timber Beech, Oak,  
Maple Gum &c.

Surveyed by

John Brownson,

Deputy Surveyor Com.

## Subdivision

North Section Sec. 1, T5 N. R9 E.

15.00 a Brook 10 lks. wide Course E.

23.55 a Walnut 20 m. dist.

24.00 a Brook 17 lks. wide Course S. E.

40.00 At q. Sec. post, from which

a W. Oak 40 m. dist. bearing S 29 1/2 E 20 lks. dist. of

a B. Oak 48 " " " N 29 1/2 W 6 " "

72.00 a Brook 14 lks. wide Course East

470

S. N. R. N. E. 2<sup>nd</sup> Mer. IndianaCh<sup>2</sup>ly

80.00 Set post cor. to Secs. 25, 26, 35 & 36, from which  
 a W. Oak 11 in. dia. bears S 88° E 25 lks. dist. &  
 a Poplar 30 " " " S 86° W 22 " "  
 Over high land, timber Beech, W. Oak  
 Poplar &c. undg<sup>m</sup> Spice & Gum bring soil rich.

East On Rand<sup>m</sup> between Secs. 25 & 36

15.50 a Brook 10 lks. wide cr. N. E. of a cliff of limestone 30 feet high  
 27.50 a No. 14 " " " North  
 40.00 Set temp. q. Sec. post  
 80.00 Intersected the E. boundary 50 lks. South of post  
 Over very hilly Land soil rich B. & W. Oak Beech  
 Ash Walnut &c. undergrowth Spice Black haw &c

## West Connected between Secs. 25 &amp; 36

40.00 Set q. Sec. post at average dist. from which  
 a Hickory 9 in. dia. bears S 81° E 6 lks. dist. &  
 a B. Oak 20 " " " N 77° W 27 " "  
 45.25 a W. Oak 17 " " a Brook Course North  
 52.50 a Brook Course N. E. banks of limestone rocks  
 80.00 to Section Corner

## North Between Secs. 25 &amp; 26

21.00 a W. Oak 18 in. dia.  
 40.00 Set q. Sec. post, from which  
 a B. Oak 17 in. dia. bears N 54° E 20 lks. dist. &  
 an Ash 15 " " " S 58° W 24 " "  
 48.00 a Brook 16 lks. wide course N. E.  
 80.00 Set post Corner to Secs. 23, 24, 25 & 26, from which  
 a Poplar 24 in. dia. bears S 65° E 13 lks. dist. &  
 a Red Oak 15 " " " N 46° W 18 " "  
 Over high rich Land B. & W. Oak

## East On Random Between Secs. 24 &amp; 25

21.30 a Brook 10 lks. wide N. E.  
 40.00 Set temp. q. Sec. post.

# S. N. R. N. E. 2<sup>d</sup>. Mer. Indiana 471

ch. l. h.  
43. 80 a Brook 25 l. h. wide Course S. E.  
79. 87 Intersected the E. boundary 92 l. h. S. of post.  
Over hilly rich Land timber Beech, W. & B. Oak,  
B. & Blue Ash, undergrowth Spice &c.

West Corrected between Sect. 24 & 25  
36. 00 a Brook 25 l. h. wide Course S. E.  
39. 83 Set of. Sec. post. at average dist. from which  
a Buckeye 8 in. dia. bears S 13° W 22 l. h. dist. &  
a Beech 9 " " " N 64 1/2° W 17 " "  
58. 57 a Brook 10 l. h. wide Course N. E.  
59. 15 a Red Oak 18 in. dia.  
79. 87 to Section Corner. Nov. 12<sup>th</sup> 1806

North Between Sect. 34 & 35.  
11. 00 a W. Oak 36 in. dia.  
40. 00 Set of. Sec. post. from which  
a Beech 15 in. dia. bears S 40° E 12 l. h. dist. &  
a Gum 11 " " " N 30° W 48 " "  
80. 00 Set post Cor. to Sect. 26, 27, 34 & 35 from which  
a Beech 14 in. dia. bears S 65 1/2° W 16 l. h. dist. &  
a No. 13 " " " N 89° E 23 " "  
Over level Beech Land

East On Pradom between Sect. 26 & 35  
40. 00 Set temp. of. Sec. post.  
79 73 Intersected the N. & S. line 37 l. h. N. of post.  
Over level Land Beech W. & B. Oak &c. underg<sup>th</sup>  
Spice. Soil rich -

West Corrected between Sect. 26 & 35  
39. 86 Set of. Sec. post. at average dist. from which  
a W. Oak 40 in. dia. bears N 27° W 3 l. h. dist. &



272 S. N. R. N. E. 2<sup>nd</sup> Mer. Indiana

ch. lhy

a W. Oak 17 in. dia. bears S 20 E 25 lks. dist.  
57.38 a Beech 15 " "  
79.73 to Section Corner

North

Between Sect. 26 & 27  
9.80 a B. Gum 15 in. dia.  
40.00 Set of Sec. post. from which  
a B. Gum 20 in. dia. bears N 39 E 25 lks. dist. &  
a Hickory 23 " " S 32 W 31 " "  
45.20 a B. Gum 40 " "  
80.00 Set post Cor. to Sect. 22, 23, 26 & 27, from which  
a Gum 30 in. dia. bears S 55 W 21 lks. dist. &  
a B. Wo. 11 " " N 85 E 14 " "  
Over level Land B. & S. Gum B. & W. Oak -

East

On Prandom between Sect. 23 & 26  
40.00 Set temp. of Sec. post  
79.60 Intersected the N. & S. line 62 lks. N. of post.  
Over level rich Land - B. & W. Oak, Beech, Ash,  
Sweet & B. Gum &c.

West

Connected between Sect. 23 & 26  
38.20 a B. Ash 17 in. dia.  
39.80 Set of Sec. post. at average dist. from which  
a Beech 16 in. dia. bears N 67 E 15 lks. dist. &  
a W. Ash 18 " " S 48 W 32 " "  
79.60 to Section Corner

North

Between Sect. 23 & 24  
21.00 a Beech 8 in. dia.  
23.00 a Brook 5 lks. wide course S. E.  
25.80 a Wo. 8 " " East  
39.00 a Brook 10 " " S. E.

S. N. E. 2<sup>nd</sup> Mer. Indiana 473

Ch. l. by	
40. 00	Set of Sec. post, from which a Beech 15 in. dia. bears N 61 E 40 lvs. dist. & a Hickory 16 " " " S 75 W 25 " "
80. 00	Set post Cor. to Sec. 13, 14, 23, & 24, from which a Red Oak 30 in. dia. bears N 82 E 17 lvs. dist. & a Lymn 18 " " " N 56 E 58 " " Over hilly rich Land W. & B. Oak &c. underg <sup>th</sup> Spire
East	On Random between Sec. 13 & 24
21. 50	a Stream 8 lvs. wide course S. E.
40. 00	Set temp <sup>y</sup> . of Sec. post.
46. 20	a Stream 25 lvs. wide course S. fast current
81. 25	Intersected the E. boundary 25 lvs. S. of post. Over hilly ground timber B. & W. Oak Sugar Beech Ash, Poplar, Hickory Buckeye &c. undergrowth Spice Nine Bark.
West	Corrected between Sec. 13 & 24
38. 05	a Stream 25 lvs. wide course S. fast current -
40. 62	Set of Sec. post, at average dist. from which a Beech 18 in. dia. bears N 38 E 23 lvs. dist. & a Sugar 20 " " " S 28 1/2 W 38 " "
43. 63	a Beech 8 " " "
74. 75	a Stream 8 lvs. wide course S. E.
81. 25	to Section Corner. Nov <sup>r</sup> 13 <sup>th</sup> 1806
North	Between Sec. 22 & 23
10. 90	a Beech 12 in. dia.
40. 00	Set of Sec. post, from which a Beech 12 in. dia. bears S 77 1/2 E 18 lvs. dist. & a L. Gum 18 " " " N 82 W 26 " "
80. 00	Set post Cor. to Sec. 14, 15, 22 & 23, from which a Maple 18 in. dia. bears S 45 E 27 lvs. dist. &

474

S 5 N R 10 E 2<sup>nd</sup>. Mer. Indiana

ch. lks	a Maple 12 in. dia. bears N 37 W 30 lks. dist. over level Land Soil rich Beech Poplar Gum Ash, Maple, B. Oak &c.
East	On Random between Sect. 14 & 23
40.00	Set temp. of. Sec. post.
79.25	Intersected the N. & S. line 56 lks. N. of post. Land timber and underg <sup>th</sup> same as last mile
West	Corrected between Sect. 14 & 23.
39.62	Set of. Sec. post. at average dist. from which a Beech 15 in. dia. bears N 28 E 31 lks. dist. & a No. 13 " " " S 16 E 9 " "
42.62	a Hickory 18 " "
79.25	To Section Corner
North	Between Sect. 13 & 14
10.00	a Stream 6 lks. wide course S. E.
14.04	a Beech 10 in. dia.
40.00	Set of. Sec. post. from which a Beech 13 in. dia. bears S 53 E 17 lks. dist. & a Sapafas 12 " " " N 87 W 49 " "
45.40	a W. Oak 45 " "
76.50	a Stream 10 lks. wide course S. E.
80.00	Set post Cor. to Sect. 11. 12. 13 & 14, from which a W. Oak 9 in. dia. bears S 70 W 17 lks. dist. & a B. Oak 12 " " " N 73 E 69 " " Over high rich Land Soil rich - timber Beech Poplar Ash B. & Bur Oak, undergrowth Spice & Sapafas -
East	On Random between Sect. 12 & 13
22.50	a Stream 6 lks. wide course S. E.
33.00	a Creek 30 " " " South rapid current



S. N. 190 E. 2<sup>nd</sup> Mer. Indiana 475

ch. l. lky

- 40.00 Set temp. q. Sec. post.  
 49.50 a Stream 7 lks. wide Course N.W.  
 81.00 Intersected the E. boundary 82 lks. S. of post.  
 Over broken rich soil timber Beech Poplar &c.
- 

West Corrected between Sec. 12 & 13

- 21.00 a Beech 10 in. dia.  
 31.50 a Stream 7 lks. wide Course N.W.  
 40.50 Set q. Sec. post, at average dist. from which  
 a Beech 7 in. dia. bears S 47 W 14 lks. dist. &  
 a No. 8 " " " N 44 E 25 " "  
 48.00 a Creek 30 lks. wide Course South rapid current  
 58.50 a Stream 6 " " " S. E.  
 81.00 To Section Corner
- 

North Between Sec. 11 & 12

- 10.00 a Poplar 40 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 17 in. dia. bears S 37 E 26 lks. dist. &  
 a No. 10 " " " N 31 W 13 " "  
 41.00 a W. Oak 50 " "  
 80.00 Set post Corner to Sec. 1, 2, 11 & 12, from which  
 a Beech 30 in. dia. bears N 30 W 32 lks. dist. &  
 a No. 18 " " " S. 65 E 50 " "  
 Over high rich Land - Beech B. & W. Oak &c.
- 

East On Random Between Sec. 1 & 12

- 17.50 a Stream 3 lks. wide Course S. E.  
 40.00 Set temp. q. Sec. post.  
 53.00 a Stream 40 lks. wide Course S. 60 W.  
 80.14 Intersected the E. boundary 50 lks. S. of post.  
 Over broken Land soil rich B. & W. Oak Chestnut  
 Ash Hickory &c.
- 

West Corrected between Sec. 1 & 12

- 27.14 a Stream 40 lks. Course S. 60 W.

476 S 5 N R 10 E. 2<sup>nd</sup> Mer. Indiana

ch. l. l.

- 40.07 Set of. Sec. post. at average dist. from which  
a Beech 30 in. dia. bears S 51 N 20 lks. dist. &  
a Lym 24 " " " N 24 E 27 " "
- 60.10 a Beech 10 " "
- 62.64 a Stream 3 lks. wide Course S. E.
- 80.14 to Section Corner.

North Between Sect. 1 & 2

- 8.00 a Hickory 15 in. dia.
- 40.00 Set of. Sec. post. from which  
a Beech 8 in. dia. bears N 40 E 10 lks. dist. &  
a W. 7 " " " S 46 N 30 " "
- 82.59 Intersected the N. boundary 80 lks. E. of post.  
Set post Cor. to Sect. 1 & 2, from which  
a Beech 18 in. dia. bears N 16 1/2 E 20 lks. dist. &  
a W. 17 " " " S 23 E 19 " "
- Over level land - timber Beech, Poplar, W. & B. Oak,  
Black & B. Ash - underg<sup>th</sup> Black & B. Gum  
Briers - Soil rich. Nov. 15<sup>th</sup> 1806.

North Between Sect. 14 & 15

- 9.00 a Lym 18 in. dia.
- 40.00 Set of. Sec. post. from which  
a White — 30 in. dia. bears S 78 E 33 lks. dist. &  
a Beech 18 " " " N 70 N 21 " "
- 80.00 Set post Cor. to Sect. 10, 11, 14 & 15, from which  
a S. Gum 15 in. dia. bears N 65 E 7 lks. dist. &  
an Elm 11 " " " — 26 " "
- Land timber &c. Same as on the last. Mile

East On Pradom between Sect. 11 & 14

- 40.00 Set temp. of. Sec. post.
- 77.50 a Stream 10 lks. wide Course S. E.
- 77.54 Intersected the N. & S. line 29 lks. N. of post  
Land timber &c. Same as before -

# S. N. R. 10 E. 2. Mer. Indiana

477

ch. 1/2

West Connected between Sect. 11 & 14.

2. 04 a Stream 10 lks. wide Course S.E. 100 lks. up this brook & on the East Side of it, is a Yellow Spring over Spring that issues Sediment -

39. 77 Set of. Sec. post, at average dist. from which  
a W. Oak 18 in. dia. bears S 7 1/2 W 44 lks. dist. &  
a Beech 10 " " " N 19 E 25 " "

41. 31 a No. 17 " "

79. 54 to Section Corner

North Between Sect. 10 & 11

30. 43 a Hickory 15 in. dia.

40. 00 Set of. Sec. post, from which  
a W. Oak 60 in. dia. bears N 52 E 7 lks. dist. &  
a B. Gum 17 " " " S 32 W 29 " "

41. 30 a No. 17 " "

80. 00 Set post Cor. to Sect. 2, 3, 10 & 11, from which  
a Sugar 18 in. dia. bears S 87 E 6 lks. dist. &  
a Beech 8 " " " N 86 W 24 " "  
Over level Land timber Beech Poplar W. & B.  
Oak, B. & S. Gum &c.

East On Random between Sect. 2 & 11

4. 00 a Brook 6 lks. wide Course N.W.

40. 00 Set temp. of. Sec. post.

79. 53 Intersected the N. & S. line at the post.

Over level thickety Land Soil rich timber Hickory  
B. & W. Oak &c. Undergrowth Spice & Briers -

West Connected between Sect. 2 & 11

39. 76 Set of. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears N 35 W 14 lks. dist. &  
a S. Gum 18 " " " S 37 E 30 " "

39. 76 a Beech 20 " "

75. 53 a Brook 6 lks. wide Course N.W.

79. 53 to Section Corner



S N RIVE. 2<sup>d</sup>. Mer. Indiana

ch. lly.

North Between Sect. 2 &amp; 3

00.73 a Brook 6 lks. wide Course N.

17.40 a Lyma tree 20 in. dia.

40.00 Set of. Sec. post. from which

a Beech 18 in. dia. bears S 46 N 26 lks. dist. &amp;

a Sugar 40 " " " N 27 E 44 " "

53.00 a Stream 25 lks. wide Course S. W. Slow current

55.00 a Beech 24 in. dia.

81.62 Intersected the N. boundary 230 lks. E. of post.

Set post Cor. to Sect. 2 &amp; 3, from which

a Sugar 30 in. dia. bears S 58 1/2 N 5 lks. dist. &amp;

a W. 20 " " " N 78 1/2 E 46 " "

first 1/2 mile high bushy Land Beech Sugar &amp;c.

last 1/2 mile high rich Land beech &c. ungr<sup>d</sup>.Spice &c. November 16<sup>th</sup>. 1806

North Between Sect. 33 &amp; 34

30.40 a W. Oak 40 in. dia.

40.00 Set of. Sec. post. from which

a Beech 10 in. dia. bears S 29 N 6 lks. dist. &amp;

a W. 9 " " " N 42 E 30 " "

60.00 Set post Cor. to Sect. 27, 28, 33 &amp; 34, from which

a Beech 18 in. dia. bears N 54 E 6 1/4 lks. dist. &amp;

a W. Oak 45 " " " S 56 N 6 1/4 " "

Over level Land W. &amp; B. Oak &amp;c. Soil rich

East On Random between Sect. 27 &amp; 34

40.00 Set temp<sup>y</sup>. of. Sec. post.

79.36 Intersected the N. &amp; S. line at the post.

level thin Land Beech B. &amp; S. Gum &amp;c.

West Corrected between Sect. 27 &amp; 34

39.68 Set of. Sec. post. at average dist. from which

a Sugar 18 in. dia. bears N 65 E 18 lks. dist. &amp;

a B. Oak 40 " " " S 30 N 3 " "

43.48 a Beech 11 " "

479

*S 5 N 10 E 2<sup>d</sup> Mer. Indiana*  
ch. 11/4  
79.36 to Section Corner

---

North Between Sec. 27 & 28

24.00 a W. Oak 40 in. dia.

25.00 a Brook 6 lbs. wide Course W.

40.00 Set q. Sec. post. from which

a Maple 7 in. dia. bears N 40 E 29 lbs. dist. &

a B. Ash 11 " " " S 40 W 2 " "

62.50 a B. Gum 17 " "

63.50 a Brook 12 lbs. wide Course W.

80.00 Set post. Cor. to Sec. 21, 22, 27 & 28, from which

a W. Oak 27 in. dia. bears N 80 E 44 lbs. dist. &

attichory 30 " " " N 89 W 42 " "

Over level thin soil - timber Beech & W. Oak &c.

---

East On Prandom between Sec. 22 & 27.

40.00 Set temp. q. Sec. post.

79.34 Intersected the N. & S. line at the post.

Land timber &c. Same as on the last mile

---

West Corrected between Sec. 22 & 27

4.00 a W. Oak 12 in. dia.

39.67 Set q. Sec. post. at average dist. from which

a W. Oak 20 in. dia. bears N 20 W 14 lbs. dist. &

a B. Oak 17 " " " S 55 E 36 " "

79.34 to Section Corner

---

North Between Sec. 21 & 22

9.20 a S. Gum 12 in. dia. bears

28.08 a W. 18 " " "

40.00 Set q. Sec. post. from which

a B. Oak 60 in. dia. bears South 20 lbs. dist. &

a W. Oak 20 " " " N 83 W 30 " "

54.75 a Brook 10 lbs. wide. Course S. W.

80.00 Set post Corner to Sec. 15, 16, 21 & 22, from which

a Beech 17 in. dia. bears N 86 1/2 E 44 lbs. dist. &

# S 5 N R 10 E. 2<sup>d</sup> Mer. Indiana

Chalky.

a Beech 15 in. dia. bears N 83 $\frac{1}{2}$  W 25 lks. dist. &  
over level rich Land timber Beech, Poplar, B. &  
W. Oak, undergrowth Spice &c.

East On Random between Sec. 15 & 22

40.00 Set temp. q. Sec. post.

79.24 Intersected the N. & S. line 7 lks. N. of post.  
Land timber &c. same as last mile -

West Corrected between Sec. 15 & 22

39.62 Set q. Sec. post. at average dist. from which  
a Hickory 20 in. dia. bears N 47 W 30 lks. dist. &  
a d. Gum 12 " " " — 20 E 21 " "

41.66 a W. Oak 17 " "

79.24 to Section Corner. November 17<sup>th</sup> 1806

North Between Sec. 15 & 16

11.00 a Brook 10 lks. inside course S. W.

12.00 an Elm 10 in. dia.

40.00 Set q. Sec. post. from which  
a W. Oak 40 in. dia. bears West 12 lks. dist. &  
a W. 50 " " " S 68 E 3 " "

40.84 a Poplar 24 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
a Beech 17 in. dia. bears East 9 lks. dist. &  
a W. Oak 30 " " " S 81 E 40 " "  
Over level rich Land - timber Beech W. & B. Oak  
B. & S. Gum &c.

East On Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post.

79.64 Intersected the N. & S. line 6 lks. S. of post.  
Land timber &c. same as before

West Corrected between Sec. 10 & 15

20.64 a Beech 12 in. dia.

481

S 5 N R 10 E 2<sup>d</sup>. Mer. Indiana

ch. lhy.

39.82 Set of. Sec. post, at average dist. from which  
a Beech 18 in. dia. bears S 19 $\frac{1}{2}$  W 18 lhy. dist. &  
a S. Gum 16 " " " N 11 $\frac{1}{2}$  W 30 " "

79.64 to Section Corner

---

North Between Secs. 9 & 10

20.00 a Creek 50 lhy. wide Course W. Gentle current,

28.20 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which  
a Beech 11 in. dia. bears N 40 W 21 lhy. dist. &  
a No. 36 " " " S 49 E 26 " "

42.00 a Creek 50 lhy. wide Course S. E.

46.00 a No. 50 " " " S. 20 W.

80.00 Set post cor. to Secs. 3, 4, 9, & 10, from which  
a Beech 30 in. dia. bears N 81 E 14 lhy. dist. &  
a No. 10 " " " N 30 $\frac{1}{2}$  E 14 " "

Over Land high & rich - timber same as before

---

East On Road<sup>m</sup>. between Secs. 3 & 10

40.00 Set temp. of. Sec. post

47.00 a Creek 40 lhy. wide C. S. E.

69.00 a stream 17 " " " S. W.

80.00 Intersected the N. of S. line 63 lhy. S. of post  
Over high land rich soil, timber Beech, Sugar  
Buckeye &c.

---

West Connected between Secs. 3 & 10

11.00 a stream 17 lhy. wide Comes S. W.

33.00 a Creek 40 " " " S. E.

40.00 Set of. Sec. post at average dist. from which  
a Beech 12 in. dia. bears N 80 W 18 lhy. dist. &  
a No. 17 " " " S 65 E 39 " "

42.50 a Beech 11 " "

80.00 to Sec. Corner.

---

North Between Secs. 3 & 4



482 S. K. R. N. E. 2<sup>nd</sup> Mer. Indiana  
ch. 2. 1/4

5.80 at Beech 18 m. dist.

22.80 a do. 35 " "

40.00 Let gr. See. post, from which  
at Beech 18 m. dist. bear N 56 E 15 lks. dist. of  
a do. 20 " " " S 62 W 48 " "

81.02 Intersected N. boundary 279 lks. E. of post  
Let post Cor. to Sec. 3 & 4, from which  
at Beech 8 m. dist. Corner tree  
a do. 18 " " bear S 20 W 11 lks. dist. of  
at Beech 10 " " " N 1 1/2 E 28 " "  
Over level rich land Beech, W. M. Oak,  
Ash, Gum &c. November 18<sup>th</sup>, 1876

---

North Between Sec. 32 & 33

11.15 a Hickory 20 m. dist.

40.00 Let gr. See. post, from which  
at Beech 20 m. dist. bear N 75 E 14 lks. dist. of  
a do. 12 " " " S 81 W 43 " "

48.00 at Beech 10 " "

80.00 Let post Cor. to Sec. 28, 29, 32 & 33, from which  
at Beech 20 m. dist. bear N 86 E 54 lks. dist. of  
a S. Gum 15 " " " N 89 1/2 W 5 " "  
Over level land soil thin Beech &c.

---

East On Land<sup>m</sup>. between Sec. 28 & 33

40.00 Let temp. gr. See. post

79.80 Intersected the N & S. line 4 lks. N. of post  
Land timber &c. Same as on last mile

---

West Corrected between Sec. 28 & 33

39.90 Let gr. See. post at average dist. from which  
at Beech 30 m. dist. bear N 1 1/2 E 36 lks. dist. of  
a do. 8 " " " N 23 E 24 " "

42.54 at Blue Ash 11 m. dist.

79.90 to Sec. Corner.

---

# S 5 N R 10 E. 2<sup>d</sup>. Mer. Indiana 483

ch. lky.

North Between Secs. 28 & 29

14.50 a W. Oak 40 m. dist.

22.35 a Do. 45 " "

36.40 a Brook 20 lky. wide Course S. W.

40.00 Set gp. Sec. post, from which

a W. Oak 20 m. dist. bray S 42 E 35 lky. dist. of  
a wp. Oak 10 " " " N 71 W 24 " "

80.00 Set post Co. to Secs. 20, 21, 28 & 29, from which  
a Beech 12 m. dist. bray N 31 W 20 lky. dist. of  
a W. Oak 50 " " " S 43 E 66 " "  
Over high richland, 13 W. Oak, Hickory  
Walnut &c. underg<sup>th</sup>. Spruce

East On Rand. between Secs. 21 & 28

40.00 Set temp. gp. Sec. post

54.50 a Brook 20 lky. wide Course S. W.

79.97 Intersected the N of S. line 2 lky. N. of post  
Sand timber &c. same as on the last mile

West Connected between Secs. 21 & 28

4.50 a Beech 10 m. dist.

39.98 Set gp. Sec. post at average dist. from which  
a Beech 25 m. dist. bray N 5 W 14 lky. dist. of  
a Do. 18 " " " S 3 W 43 " "

70.18 a Beech 25 " "

79.97 to Sec. Corner.

North Between Secs. 20 & 21

5.00 a Brook 20 lky. wide Course S. W.

5.30 an Elm 15 m. dist.

40.00 Set gp. Sec. post, from which

a Beech 18 m. dist. bray S 57 E 32 lky. dist. of  
a W. Oak 28 " " " N 45 W 52 " "

74.50 a Beech 12 m. dist.

80.00 Set post, Co. to Secs. 16, 17, 20 & 21, from which  
a S. Gum 25 m. dist. bray S 81 E 34 lky. dist. of

484 S N R N E. 2<sup>d</sup>. Mer. Indiana  
ch. lky.

a Maple 30 in. dia. bray N 88 W 58 lky. dist. of  
Over level rich land, timber Beech, Poplar  
B & W. Oak &c.

---

East On Land<sup>m</sup>. between Sec. 16 & 21

40.00 Set temp. q. Sec. post

74.40 a Brook 17 lky. wide Course S. W.

79.87 Intersected the N. of S. line 34 lky. N. of post  
Land timber &c. same as on last mile

---

West Corrected between Sec. 16 & 21

5.47 a Brook 17 lky. wide Course S. W.

37.14 a W. Oak 15 in. dia.

39.93 Set q. Sec. post at average dist. from which

a Beech 11 in. dia. bray N 15 E 28 lky. dist. of

a Poplar 20 " " " N 18 W 25 " "

79.87 to Sec. Corner. November 19<sup>th</sup>. 1806

---

North Between Sec. 16 & 17

5.73 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which

a Beech 17 in. dia. bray N 64 E 60 lky. dist. of

a S. Gum 22 " " " N 89 W 53 " "

48.06 a Do 40 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which

a Sugar 35 in. dia. bray S 55 E 44 lky. dist. of

a Beech 18 " " " N 53 W 34 " "

Land timber &c. same as on last mile

---

East On Land<sup>m</sup>. between Sec. 9 & 16

11.00 a Creek 60 lky. wide Course N. W.

Rocky banks, bed Current slow

17.75 a Small Cave South 100 lky.

38.00 a Creek 60 lky. wide Course S. W.

40.00 Set temp. q. Sec. post - Two Caves North 60 lky.  
from 38.00 to 46.50 up said Creek - high

S. N. R. 10 E. 2<sup>d</sup>. Mer. Indiana 485

ch. 1<sup>st</sup> 1/4.

Rocky banks, good building stone  
80.00 Intersected the N & S. line 18 ch. N. of post  
Over high rich land Beech, Poplar, B & W.  
Oak &c. undg<sup>g</sup>. Spruce birch &c.

West Corner between Secs. 9 & 16

7.92 a Beech 18 in. dia.  
40.00 Set of. See post at average dist. from which <sup>in a brook</sup>  
a Gum 30 in. dia. & bay N 33<sup>1</sup>/<sub>2</sub> W 36 ch. dist. of  
a Beech 7 " " " N 33 E 90 " "  
80.00 to Sec. Corner.

North Between Secs. 8 & 9

8.50 a Creek 6 ch. wide Course W.  
26.75 a Sugar 18 in. dia.  
39.00 a Beech 15 " "  
40.00 Set of. See post, from which  
a Beech 30 in. dia. & bay N 81<sup>1</sup>/<sub>2</sub> E 21 ch. dist. of  
a Do. 16 " " " N 80<sup>1</sup>/<sub>2</sub> W 11 " "  
80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which  
a Sugar 25 in. dia. & bay S 21<sup>1</sup>/<sub>2</sub> E 28 ch. dist. of  
a Beech 16 " " " N 21<sup>1</sup>/<sub>2</sub> W 25 " "  
Over high rich land timber Beech, Poplar,  
B & Sweet Gum, B & W. Oak &c. undg<sup>g</sup>. Spruce &c.

East On Rand<sup>m</sup>. between Secs. 4 & 9

40.00 Set temp<sup>y</sup>. of. See. post  
79.64 Intersected the N & S. line 5 ch. S. of post  
Over level rich land soil yellow, W & R. Oak

West Corner between Secs. 4 & 9

39.82 Set of. See post at average dist. from which  
a Red Elm 12 in. dia. & bay N 17<sup>1</sup>/<sub>2</sub> E 22 ch. dist.  
a Beech 20 " " " S 41<sup>1</sup>/<sub>2</sub> W 41 " "  
49.64 a Beech 25 " "  
59.00 a Do. 20 " "



486

S 5 N R 10 E 2<sup>d</sup>. Mer. Indiana  
Ch<sup>2</sup> lks.  
79.64 to Sec. Corner.

North Between Sec<sup>s</sup>. 4 & 5

3.50 a Stream 6 lks. wide Cr. S. M.

3.75 a Sugar 25 in. dia.

28.00 at Beech 36 " "

40.00 Set of. Sec. post, from which  
at Beech 18 in. dia. way N 53 E 42 lks. dist. of  
a do. 17 " " " S 67 W 17 " "

79.65 Intersected the N. boundary 269 lks. E. of post  
Set post Cor. to Sec<sup>s</sup>. 4 & 5, from which  
a Beech 11 in. dia. way N 33 E 9 lks. dist. of  
a do. 35 " " " S 54 W 23 " "  
Oven level land, timber Beech, S. B. Gum  
Poplar &c. Soil yellow. Nov. 20<sup>th</sup>. 1806

North Between Sec<sup>s</sup>. 31 & 32

10.50 an Elm 16 in. dia.

34.85 at Beech 11 " "

40.00 Set of. Sec. post, from which  
at Beech 18 in. dia. way N 57 E 40 lks. dist. of  
a S. Gum 20 " " " S 51 W 10 " "

80.00 At post Cor. to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
at S. Gum 20 in. dia. way N 83 1/2 E 75 lks. dist. of  
a Hickory 22 " " " S 78 W 42 " "  
Oven level land Soil rich, timber Beech, S. B. S.  
Gum, B. & W. Oak

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 29 & 32

40.00 Set temp<sup>y</sup>. of. Sec. post

47.25 at Brook 1 lks. wide Cornac N. M.

79.75 Intersected the N. & S. line 8 lks. S. of post  
Land timber &c. Same as on last mile

West Corried between Sec<sup>s</sup>. 29 & 32

39.87 Set of. Sec. post, at average dist. from which

487

S 5 N - R 10 E, 2<sup>d</sup>. Mer. Indiana  
ch. l. lky.

a B. Gum 20 in. dia. bray S 73 $\frac{1}{2}$  E 20 lky. dist. of  
a Hickory 20 " " " S 47 N 32 " "  
44.16 a Beech 10 in. dia.  
78.35 a Do. 20 " "  
79.75 to Sec. Corner

---

West Between Secs. 30 & 31  
14.14 a Beech 20 in. dia.  
28.64 a B. Gum 20 " "  
40.00 Set of Sec. post, from which  
a Beech 17 in. dia. bray N 17 E 13 lky. dist. of  
a Beech 10 " " " S 22 N 6 " "  
80.50 Intersected N. boundary 8 lky. S. of post  
Set post cor. to Secs. 30 & 31, from which  
a Beech 10 in. dia. bray N 35 N 32 lky. dist. of  
a Do 7 " " " S 38 $\frac{1}{2}$  E 41 " "  
Land level Beech, Ash, &c. undng. Spruce,  
Beech &c. Soil rich

---

North Between Secs. 29 & 30  
22.55 a Beech 17 in. dia.  
35.00 a S. Gum 40 " "  
40.00 Set of Sec. post, from which  
a S. Gum 30 in. dia. bray N 47 E 20 lky. dist. of  
a Beech 18 " " " S 32 N 15 " "  
80.00 Set post cor. to Secs. 19, 20, 29 & 30, from which  
a W. Oak 50 in. dia. bray N 53 N 5 lky. dist. of  
a B. Gum 20 " " " S 55 E 42 " "  
Over level rich land Beech, Poplar, B. &  
S. Gum, B. & W. Oak &c. undng. Beech

---

East Out Rand<sup>m</sup>. between Secs. 20 & 29  
7.50 a Brook 10 lky. wide Course N. W.  
33.80 a Creek 58 " " " N. W.  
40.00 Set temp<sup>y</sup>. of Sec. post  
69.50 a Brook 17 lky. wide Course S.

488

T5 N. N. W. E. 2<sup>d</sup> Mer. Indiana

ch. lth.

79.92 Intersected the N of S, <sup>line</sup> 20 lth. N. of post  
 First  $\frac{1}{2}$  mile hill land, Beech, Poplar, B. W.  
 Oak - last  $\frac{1}{2}$  high rich land, Walnut, B. W.  
 Oak, Ash &c. underg<sup>th</sup>. Spruce

---

West Connected between Secs. 20 &amp; 29

39.56 let q. Sec. post at average disk from which  
 a Beech 16 in. diam. bray N 18 W 15 lth. dist. of  
 a Do. 19 " " " N 10 E 21 " "

41.15 at Beech 20 " "

79.12 to Sec. Corner.

West Between Secs. 19 &amp; 30

5.00 a W. Oak 25 in. diam.

40.00 let q. Sec. post, from which  
 a Beech 23 in. diam. bray N 53 E 9 lth. dist. of  
 a Do. 30 " " " N 11 E 33 " "

46.50 a Creek 60 lth. wide Corner S. W.

81.73 Intersected W. boundary 25 lth. S. of post  
 let post Cor. to Secs. 19 & 30, from which  
 a Beech 17 in. diam. bray N 72 W 29 lth. dist. of  
 a Blue Ash 12 " " " N 86 E 33 " "  
 Over high rich land, Beech, Poplar &c.  
 underg<sup>th</sup>. Spruce &c.

---

North Between Secs. 19 &amp; 20

10.50 a Creek 49 lth. wide Corner W.

13.35 a Beech 17 in. diam.

21.30 a stream 10 lth. wide Cor. S. W.

40.00 let q. Sec. post, from which  
 a Beech 17 in. diam. bray N 20 E 29 lth. dist. of  
 a Do. 20 " " " N 26 W 25 " "

80.00 let post Cor. to Secs. 17, 18, 19 & 20, from which  
 a Beech 20 in. diam. bray N 51 E 34 lth. dist. of  
 a Do. 16 " " " N 64 W 65 " "  
 First  $\frac{1}{2}$  over high rich land - last  $\frac{1}{2}$  mile level

5 N 12 10 E. 2<sup>d</sup>. Mer. Indiana 489  
ch. lky.

land, timber same as last mile. Nov. 21<sup>st</sup> 1806

---

East Out Rand<sup>m</sup>. between Dec<sup>r</sup>. 17 & 20

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.37 Intersected the N & S. line at the post  
Over level rich land, timber as before

---

West Corried, between Dec<sup>r</sup>. 17 & 20

39.68<sup>1</sup>/<sub>2</sub> At q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 20 mi. dist. bearing N 88 E 4<sup>1</sup>/<sub>2</sub> lky. dist. of  
a S. Gum 20 " " " N 85 W 19 " "

79.37 to Sec. Corner

---

West Between Dec<sup>r</sup>. 18 & 19

3.50 at S. Gum 20 mi. dist.

16.50 a S. Gum 20 " "

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 25 mi. dist. bearing N 68 W 44 lky. dist. of  
a Do. 20 " " " S 45 E 18 " "

62.30 at Brook 10 lky. wide Corner d.

64.68 a Beech 18 mi. dist.

81.62 Intersected W. boundary 2 lky. S. of post  
At post Cor. to Dec<sup>r</sup>. 18 & 19, from which  
a S. Ash 11 mi. dist. bearing N 88<sup>3</sup>/<sub>4</sub> W 15 lky. dist. of  
a Maple 20 " " " S 69<sup>1</sup>/<sub>4</sub> E 15 " "  
Land timber &c. same as on last mile

---

North Between Dec<sup>r</sup>. 17 & 18

3.40 a Beech 11 mi. dist.

16.50 a S. Gum 25 " "

39.50 at Brook 10 lky. wide Corner N.W.

40.00 At q<sup>r</sup>. Sec. post, from which  
an Elm 20 mi. dist. bearing N 22 W 56 lky. dist. of  
a Do. 17 " " " S 12 E 17 " "

65.40 a Creek 60 lky. wide Corner S 30 W. Little cannot

80.00 At post Cor. to Dec<sup>r</sup>. 7, 8, 17 & 18, from which



490 S. N. R. E. 2<sup>nd</sup> Mer. Indiana  
ch. l. h.  
a Beech 20 in. dia. - bray N 69 E 17 l. dist. of  
a do. 30 " " " N 69 W 27 "  
Over high rich land, timber same as before  
November 22<sup>nd</sup> 1886.

---

East On Rand<sup>m</sup>. between Secs. 8 & 17

15.00 a Creek 60 l. wide Corner S. W.

40.00 At gr. Sec. post

79.54 Intersected the N. & S. line 30 l. S. of post  
Land timber &c. same as on last mile

---

West Corrected between Secs. 8 & 17

39.77 At gr. Sec. post at average dist. from which  
a Beech 17 in. dia. - bray N 11 W 43 l. dist. of  
a Sugar 30 " " " South 22 " "

39.98 a Beech 20 " "

79.54 to Sec. Corner.

---

West Between Secs. 17 & 18

1.58 a Beech 17 in. dia.

27.14 a Sugar 20 in. dia.

40.00 At gr. Sec. post, from which  
a Dogwood 8 in. dia. - bray N 1 E 14 l. dist. of  
a Beech 9 " " " N 17 E 4 " "

43.65 a Creek 70 l. wide Corner N 60 W.

59.90 a Brook 8 " " " North

82.83 Intersected W. boundary 44 l. S. of post  
At post Cor. to Secs. 7 & 18, from which  
a Beech 20 in. dia. - bray N 65 E 12 l. dist. of  
a Poplar 30 " " " N 47 W 49 " "  
Land timber &c. same as on last mile

---

North Between Secs. 7 & 8

23.00 a Beech 30 in. dia.

40.00 At gr. Sec. post, from which  
a Beech 10 in. dia. - bray N 75 E 12 l. dist. of

# 491

## T5N R10E 2<sup>d</sup> Mer. Indiana

Ch. Lk.

- at Beech 9 m. dist. from 155 1/2 W 22 Lk. dist. of  
 44.00 at Brook 11 Lk. wide Corner W.  
 67.00 at W. Oak 72 m. dist.  
 80.00 at post Cor. to Sec. 5, 6, 7 & 8, from which  
 an Elm 20 m. dist. from N 89 W 7 Lk. dist. of  
 at B. Ash 14 " " " S 80 E 4 " "  
 Over high rich land, Beech, Ash, Elm &  
 underg<sup>d</sup>. Spruce, Beech &c.

East On Rand. between Sec. 5 & 8

- 40.00 at temp<sup>d</sup>. of Sec. post  
 75.30 at stream 10 Lk. wide Corner S. W.  
 79.80 intersected the N & S. line 30 Lk. N. of post  
 Over level rich land, timber Beech, Poplar, W  
 & B. Oak &c. underg<sup>d</sup>. Spruce &c.

West Connected between Sec. 5 & 8

- 19.80 at Beech 11 m. dist.  
 39.90 at of Sec. post at average dist. from which  
 a Beech 17 m. dist. from S 60 W 17 Lk. dist. of  
 a Maple 18 " " " N 67 E 17 " "  
 79.80 to Sec. Corner

West Between Sec. 6 & 7

- 23.00 at Beech 10 m. dist.  
 23.20 at Brook 20 Lk. wide Corner S. W.  
 40.00 at of Sec. post from which  
 a Beech 30 m. dist. from N 15 E 28 Lk. dist. of  
 " Dr. 8 " " " S 34 E 17 " "  
 83.13 intersected W. boundary 2 Lk. S. of post  
 at post Cor. to Sec. 6 & 7, from which  
 a Beech 26 m. dist. from N 74 1/2 E 23 Lk. dist. of  
 a Dr. 20 " " " S 76 W 20 " "  
 Over hilly land, Soil rich, Beech, Poplar &c.  
 underg<sup>d</sup>. Spruce.

492 T5 N 10 E 2<sup>d</sup> Mer. Indiana

ch. lks.

North Between Sec. 5 & 6

12.05 a Poplar 60 inches diameter

24.25 a Brook 18 lks. wide Course West

40.00 Set of Sec. post, from which

a Beech 25 in. diam. bears South 10 lks. dist. of

a Do. 18 " " N 19 E 12 " "

80.10 Intersected the N. of Boundary 30 3/4 lks. East of post

Set post cor. to Sec. 5 & 6, from which

a Beech 17 in. diam. bears S 46 E 34 lks. dist. of

a Do. 12 " " " N 74 W 2 " "

Over high rich land, timber Beech, Ash, Gum,

W & S. Oak &c. under Beech, Spice &c.

November 23<sup>d</sup>. 1806

Surveyed by

John Brownson

Deputy Surveyor

---

End of Vol. 10.

Compared.

I certify that the foregoing transcript of field notes of  
Township N. 5 North, Range N. 10 East 2<sup>d</sup> Meridian  
Indiana, has been compared with the original notes  
in this Office, and found to be correct.

Surveyor General's Office  
Cincinnati, Nov. 26<sup>th</sup>. 1842

William Johnston  
Sur. Genl.